



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Sherburne-Earlville CSD

Project Name: Sherburne-Earlville Elementary

Fred Wright
15 School Street
Sherburne, NY 13460

Project / PO Number: 012399
Received: 10/11/2016
Reported: 12/31/2016

Analytical Testing Parameters

Table with client sample details: Client Sample ID: E1181, Sample Matrix: Drinking Water, Lab Sample ID: J6J1276-01, Collected By: FW-Client, Collection Date: 10/02/2016 8:37

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

Table with analytical results for Client Sample ID E1181: 200.8- ICP-MS, Method: 200.8, Lead result: 0.0065 mg/L

Table with client sample details: Client Sample ID: E118H, Sample Matrix: Drinking Water, Lab Sample ID: J6J1276-02, Collected By: FW-Client, Collection Date: 10/02/2016 8:40

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

Table with analytical results for Client Sample ID E118H: 200.8- ICP-MS, Method: 200.8, Lead result: <0.001 mg/L

Table with client sample details: Client Sample ID: E123, Sample Matrix: Drinking Water, Lab Sample ID: J6J1276-03, Collected By: FW-Client, Collection Date: 10/02/2016 8:40

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

Table with analytical results for Client Sample ID E123: 200.8- ICP-MS, Method: 200.8, Lead result: 0.0035 mg/L

Table with client sample details: Client Sample ID: E1231, Sample Matrix: Drinking Water, Lab Sample ID: J6J1276-04, Collected By: FW-Client, Collection Date: 10/02/2016 8:40

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

Table with analytical results for Client Sample ID E1231: 200.8- ICP-MS, Method: 200.8, Lead result: 0.0032 mg/L



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1232	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:40
Lab Sample ID: J6J1276-05	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0038	0.015 AL	0.001	mg/L		12/14/16 0952	12/16/16 1659

Client Sample ID: E1233	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:42
Lab Sample ID: J6J1276-06	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 0952	12/16/16 1702

Client Sample ID: E116	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:38
Lab Sample ID: J6J1276-07	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0029	0.015 AL	0.001	mg/L		12/14/16 0952	12/16/16 1714

Client Sample ID: E114 BR	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:35
Lab Sample ID: J6J1276-08	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0018	0.015 AL	0.001	mg/L		12/14/16 0952	12/16/16 1717



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E114 BR 1	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:30
Lab Sample ID: J6J1276-09	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 0952	12/16/16 1721

Client Sample ID: E114 BR 2	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:30
Lab Sample ID: J6J1276-10	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 0952	12/16/16 1725

Client Sample ID: E114 BR 3	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:30
Lab Sample ID: J6J1276-11	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0012	0.015 AL	0.001	mg/L		12/14/16 0952	12/16/16 1728

Client Sample ID: E112	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:29
Lab Sample ID: J6J1276-12	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0042	0.015 AL	0.001	mg/L		12/14/16 0952	12/16/16 1736



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID:	E121	Collected By:	FW-Client
Sample Matrix:	Drinking Water	Collection Date:	10/02/2016 8:31
Lab Sample ID:	J6J1276-13		

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 0952	12/16/16 1739

Client Sample ID:	E1211	Collected By:	FW-Client
Sample Matrix:	Drinking Water	Collection Date:	10/02/2016 8:31
Lab Sample ID:	J6J1276-14		

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0011	0.015 AL	0.001	mg/L		12/14/16 0952	12/16/16 1743

Client Sample ID:	E1212	Collected By:	FW-Client
Sample Matrix:	Drinking Water	Collection Date:	10/02/2016 8:31
Lab Sample ID:	J6J1276-15		

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0018	0.015 AL	0.001	mg/L		12/14/16 0952	12/16/16 1747

Client Sample ID:	EDF BY 112	Collected By:	FW-Client
Sample Matrix:	Drinking Water	Collection Date:	10/02/2016 8:29
Lab Sample ID:	J6J1276-16		

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 0952	12/16/16 1758



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E110	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:23
Lab Sample ID: J6J1276-17	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.011	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1802

Client Sample ID: E1101	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:23
Lab Sample ID: J6J1276-18	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0014	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1805

Client Sample ID: E117A	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:04
Lab Sample ID: J6J1276-19	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1809

Client Sample ID: E117A1	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:04
Lab Sample ID: J6J1276-20	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0054	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1813



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E117A2	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:05
Lab Sample ID: J6J1276-21	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0031	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1831

Client Sample ID: E117A3	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:05
Lab Sample ID: J6J1276-22	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0041	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1842

Client Sample ID: E101	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:20
Lab Sample ID: J6J1276-23	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1846

Client Sample ID: E1011	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:20
Lab Sample ID: J6J1276-24	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.006	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1850



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1012	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:20
Lab Sample ID: J6J1276-25	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1853

Client Sample ID: E105	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:20
Lab Sample ID: J6J1276-26	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1857

Client Sample ID: E1051	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:20
Lab Sample ID: J6J1276-27	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1908

Client Sample ID: E102	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:16
Lab Sample ID: J6J1276-28	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0011	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1912



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1021	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:16
Lab Sample ID: J6J1276-29	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1916

Client Sample ID: E107	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:18
Lab Sample ID: J6J1276-30	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1919

Client Sample ID: E1071	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:18
Lab Sample ID: J6J1276-31	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1923

Client Sample ID: E104	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:13
Lab Sample ID: J6J1276-32	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1931



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1041	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:13
Lab Sample ID: J6J1276-33	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1934

Client Sample ID: E109	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:15
Lab Sample ID: J6J1276-34	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1938

Client Sample ID: E1091	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:15
Lab Sample ID: J6J1276-35	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1942

Client Sample ID: E106	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:13
Lab Sample ID: J6J1276-36	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1013	12/16/16 1953



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1061	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:13
Lab Sample ID: J6J1276-37	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1033	12/16/16 1957

Client Sample ID: E108	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:10
Lab Sample ID: J6J1276-38	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.012	0.015 AL	0.001	mg/L		12/14/16 1033	12/16/16 2000

Client Sample ID: E1081	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:10
Lab Sample ID: J6J1276-39	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1033	12/16/16 2004

Client Sample ID: E1082	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:10
Lab Sample ID: J6J1276-40	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1033	12/16/16 2008



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E113	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:11
Lab Sample ID: J6J1276-41	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0036	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1608

Client Sample ID: E1131	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:12
Lab Sample ID: J6J1276-42	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0012	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1614

Client Sample ID: E1132	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:12
Lab Sample ID: J6J1276-43	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1615

Client Sample ID: E100	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:03
Lab Sample ID: J6J1276-44	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0093	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1617



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1001	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:03
Lab Sample ID: J6J1276-45	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0012	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1619

Client Sample ID: E1002	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:03
Lab Sample ID: J6J1276-46	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0011	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1621

Client Sample ID: E1003	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:03
Lab Sample ID: J6J1276-47	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0016	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1626

Client Sample ID: E150	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:02
Lab Sample ID: J6J1276-48	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.014	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1628



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E BRH 1	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:57
Lab Sample ID: J6J1276-49	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1630

Client Sample ID: E BRH 2	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:55
Lab Sample ID: J6J1276-50	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1632

Client Sample ID: EDFH	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:00
Lab Sample ID: J6J1276-51	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1633

Client Sample ID: E BRH 3	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:55
Lab Sample ID: J6J1276-52	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0015	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1637



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E BRH 4	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:55
Lab Sample ID: J6J1276-53	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0017	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1639

Client Sample ID: E BRH 5	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:55
Lab Sample ID: J6J1276-54	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0022	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1641

Client Sample ID: E BRH 6	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:55
Lab Sample ID: J6J1276-55	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1642

Client Sample ID: E136	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:48
Lab Sample ID: J6J1276-56	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1033	12/20/16 1648



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1361	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:48
Lab Sample ID: J6J1276-57	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1650

Client Sample ID: E143	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:50
Lab Sample ID: J6J1276-58	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1652

Client Sample ID: E1431	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:50
Lab Sample ID: J6J1276-59	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1653

Client Sample ID: E138	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:44
Lab Sample ID: J6J1276-60	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1655



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1381	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:48
Lab Sample ID: J6J1276-61	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1704

Client Sample ID: E140	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:46
Lab Sample ID: J6J1276-62	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1710

Client Sample ID: E1401	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:46
Lab Sample ID: J6J1276-63	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1711

Client Sample ID: E145	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:48
Lab Sample ID: J6J1276-64	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1713



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1451	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:48
Lab Sample ID: J6J1276-65	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1715

Client Sample ID: E142	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:45
Lab Sample ID: J6J1276-66	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1717

Client Sample ID: E1421	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:45
Lab Sample ID: J6J1276-67	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1722

Client Sample ID: E147	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:44
Lab Sample ID: J6J1276-68	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1724



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1471	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:44
Lab Sample ID: J6J1276-69	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1726

Client Sample ID: E146	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:43
Lab Sample ID: J6J1276-70	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0022	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1728

Client Sample ID: E1461	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:43
Lab Sample ID: J6J1276-71	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1729

Client Sample ID: E149	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:42
Lab Sample ID: J6J1276-72	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1733



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1491	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:42
Lab Sample ID: J6J1276-73	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1735

Client Sample ID: E127	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:39
Lab Sample ID: J6J1276-74	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1737

Client Sample ID: E1271	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:39
Lab Sample ID: J6J1276-75	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1738

Client Sample ID: E122	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:35
Lab Sample ID: J6J1276-76	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1054	12/20/16 1744



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1221	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:35
Lab Sample ID: J6J1276-77	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1746

Client Sample ID: E131	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:38
Lab Sample ID: J6J1276-78	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1747

Client Sample ID: E1311	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:38
Lab Sample ID: J6J1276-79	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1749

Client Sample ID: E133	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:35
Lab Sample ID: J6J1276-80	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1751



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1331	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:35
Lab Sample ID: J6J1276-81	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1800

Client Sample ID: E124	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:34
Lab Sample ID: J6J1276-82	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1805

Client Sample ID: E1241	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:34
Lab Sample ID: J6J1276-83	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1807

Client Sample ID: E135	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:32
Lab Sample ID: J6J1276-84	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1809



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1351	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:32
Lab Sample ID: J6J1276-85	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1811

Client Sample ID: E126	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:30
Lab Sample ID: J6J1276-86	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1813

Client Sample ID: E1261	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:30
Lab Sample ID: J6J1276-87	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0015	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1818

Client Sample ID: E128	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:28
Lab Sample ID: J6J1276-88	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1820



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1281	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:28
Lab Sample ID: J6J1276-89	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1822

Client Sample ID: E137	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:30
Lab Sample ID: J6J1276-90	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1824

Client Sample ID: E1371	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:30
Lab Sample ID: J6J1276-91	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1825

Client Sample ID: E132	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:26
Lab Sample ID: J6J1276-92	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1829



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E1321	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:26
Lab Sample ID: J6J1276-93	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0014	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1831

Client Sample ID: E139	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:28
Lab Sample ID: J6J1276-94	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1832

Client Sample ID: E1391	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:28
Lab Sample ID: J6J1276-95	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1834

Client Sample ID: E239	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:04
Lab Sample ID: J6J1276-96	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/14/16 1117	12/20/16 1840



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E2391	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:04
Lab Sample ID: J6J1276-97	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0842

Client Sample ID: E234	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:04
Lab Sample ID: J6J1276-98	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0848

Client Sample ID: E2341	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:04
Lab Sample ID: J6J1276-99	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0850

Client Sample ID: E230	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:05
Lab Sample ID: J6J1276-AA	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0851



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E231	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:05
Lab Sample ID: J6J1276-AB	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0013	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0853

Client Sample ID: E237	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:07
Lab Sample ID: J6J1276-AC	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0855

Client Sample ID: E2371	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:07
Lab Sample ID: J6J1276-AD	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0900

Client Sample ID: E228	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:07
Lab Sample ID: J6J1276-AE	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0902



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E2281	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:07
Lab Sample ID: J6J1276-AF	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0904

Client Sample ID: E235	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:11
Lab Sample ID: J6J1276-AG	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0906

Client Sample ID: E2351	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:11
Lab Sample ID: J6J1276-AH	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0908

Client Sample ID: E226	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:11
Lab Sample ID: J6J1276-AI	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0911



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E2261	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:11
Lab Sample ID: J6J1276-AJ	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0913

Client Sample ID: E224	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:14
Lab Sample ID: J6J1276-AM	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0915

Client Sample ID: E2241	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:14
Lab Sample ID: J6J1276-AN	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0916

Client Sample ID: E2311	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:16
Lab Sample ID: J6J1276-AP	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0922



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E229	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:15
Lab Sample ID: J6J1276-AQ	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0924

Client Sample ID: E2291	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:15
Lab Sample ID: J6J1276-AR	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0925

Client Sample ID: E227	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:45
Lab Sample ID: J6J1276-AS	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0850	12/20/16 0927

Client Sample ID: E2271	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:45
Lab Sample ID: J6J1276-AT	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 0929



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E BRH 7	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:41
Lab Sample ID: J6J1276-AU	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0012	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 0938

Client Sample ID: E BRH 8	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:00
Lab Sample ID: J6J1276-AV	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0014	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 0943

Client Sample ID: E BRH 9	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:00
Lab Sample ID: J6J1276-AW	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 0945

Client Sample ID: E BRH 10	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:57
Lab Sample ID: J6J1276-AX	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0022	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 0947



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID:	E BRH 11	Collected By:	FW-Client
Sample Matrix:	Drinking Water	Collection Date:	10/02/2016 6:57
Lab Sample ID:	J6J1276-AY		

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0014	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 0949

Client Sample ID:	E DF BY 238	Collected By:	FW-Client
Sample Matrix:	Drinking Water	Collection Date:	10/02/2016 7:01
Lab Sample ID:	J6J1276-AZ		

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 0951

Client Sample ID:	E238	Collected By:	FW-Client
Sample Matrix:	Drinking Water	Collection Date:	10/02/2016 6:54
Lab Sample ID:	J6J1276-BA		

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0057	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 0956

Client Sample ID:	E240	Collected By:	FW-Client
Sample Matrix:	Drinking Water	Collection Date:	10/02/2016 6:51
Lab Sample ID:	J6J1276-BB		

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 0958



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E2401	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:51
Lab Sample ID: J6J1276-BC	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 1000

Client Sample ID: E241	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:59
Lab Sample ID: J6J1276-BD	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 1001

Client Sample ID: E2411	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:59
Lab Sample ID: J6J1276-BE	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 1003

Client Sample ID: E242	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:50
Lab Sample ID: J6J1276-BF	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 1007



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E2421	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:50
Lab Sample ID: J6J1276-BG	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 1009

Client Sample ID: E243	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:57
Lab Sample ID: J6J1276-BH	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 1010

Client Sample ID: E2431	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:57
Lab Sample ID: J6J1276-BI	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 1012

Client Sample ID: E245	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:52
Lab Sample ID: J6J1276-BJ	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 1018



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E2451	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:52
Lab Sample ID: J6J1276-BK	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 1019

Client Sample ID: E244	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:46
Lab Sample ID: J6J1276-BL	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 1021

Client Sample ID: E2441	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:46
Lab Sample ID: J6J1276-BM	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0915	12/20/16 1023

Client Sample ID: E248	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:45
Lab Sample ID: J6J1276-BN	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1025



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E2481	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:45
Lab Sample ID: J6J1276-BO	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1034

Client Sample ID: E247	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:48
Lab Sample ID: J6J1276-BP	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1039

Client Sample ID: E2471	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:48
Lab Sample ID: J6J1276-BQ	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1041

Client Sample ID: E200B	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:38
Lab Sample ID: J6J1276-BR	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.019	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1043



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E200A	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:38
Lab Sample ID: J6J1276-BS	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.015	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1045

Client Sample ID: E205	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:36
Lab Sample ID: J6J1276-BT	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0047	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1046

Client Sample ID: E207	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:34
Lab Sample ID: J6J1276-BU	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1052

Client Sample ID: E2071	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:34
Lab Sample ID: J6J1276-BV	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0011	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1054



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E BRH 9	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:37
Lab Sample ID: J6J1276-BW	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0039	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1055

Client Sample ID: E 202	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:35
Lab Sample ID: J6J1276-BX	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0011	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1057

Client Sample ID: E 2021	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:35
Lab Sample ID: J6J1276-BY	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1059

Client Sample ID: E211	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:26
Lab Sample ID: J6J1276-BZ	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0012	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1102



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E2111	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:26
Lab Sample ID: J6J1276-CA	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0011	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1104

Client Sample ID: E204	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:30
Lab Sample ID: J6J1276-CB	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1106

Client Sample ID: E2041	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:30
Lab Sample ID: J6J1276-CC	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0015	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1108

Client Sample ID: E213	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:22
Lab Sample ID: J6J1276-CD	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1113



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E2131	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:22
Lab Sample ID: J6J1276-CE	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1115

Client Sample ID: E206	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:22
Lab Sample ID: J6J1276-CF	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1117

Client Sample ID: E2061	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:22
Lab Sample ID: J6J1276-CG	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 0937	12/20/16 1119

Client Sample ID: E215	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:20
Lab Sample ID: J6J1276-CH	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L	H	12/16/16 0953	12/20/16 1120



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E2151	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:20
Lab Sample ID: J6J1276-CI	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1130

Client Sample ID: E210	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:20
Lab Sample ID: J6J1276-CJ	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1135

Client Sample ID: E2101	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:20
Lab Sample ID: J6J1276-CK	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1137

Client Sample ID: E212	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:21
Lab Sample ID: J6J1276-CL	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1138



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E2121	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:21
Lab Sample ID: J6J1276-CM	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1140

Client Sample ID: E217	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:15
Lab Sample ID: J6J1276-CN	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1142

Client Sample ID: E2171	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:15
Lab Sample ID: J6J1276-CO	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1147

Client Sample ID: E214	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:15
Lab Sample ID: J6J1276-CP	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1149



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E2141	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:15
Lab Sample ID: J6J1276-CQ	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L	H	12/16/16 0953	12/20/16 1151

Client Sample ID: E219	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:15
Lab Sample ID: J6J1276-CR	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L	H	12/16/16 0953	12/20/16 1153

Client Sample ID: E2191	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:15
Lab Sample ID: J6J1276-CS	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1155

Client Sample ID: E223	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:10
Lab Sample ID: J6J1276-CT	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L	H	12/16/16 0953	12/20/16 1158



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E2231	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:10
Lab Sample ID: J6J1276-CU	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1200

Client Sample ID: E216	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:10
Lab Sample ID: J6J1276-CV	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1202

Client Sample ID: E2161	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 6:10
Lab Sample ID: J6J1276-CW	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1204

Client Sample ID: E118	Collected By: JR-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:37
Lab Sample ID: J6J1276-CX	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0034	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1209



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E101-3	Collected By: JR-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 8:20
Lab Sample ID: J6J1276-CY	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0083	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1211

Client Sample ID: E233	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:13
Lab Sample ID: J6J1276-CZ	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1213

Client Sample ID: E2331	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:13
Lab Sample ID: J6J1276-DA	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1000	12/20/16 1214

Client Sample ID: E2301	Collected By: JR-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:05
Lab Sample ID: J6J1276-DB	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1023	12/20/16 1216



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1276

Client Sample ID: E141	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:52
Lab Sample ID: J6J1276-DC	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	<0.001	0.015 AL	0.001	mg/L		12/15/16 1023	12/20/16 2113

Client Sample ID: E1411	Collected By: FW-Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2016 7:52
Lab Sample ID: J6J1276-DD	

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.001	0.015 AL	0.001	mg/L		12/15/16 1023	12/20/16 2117

Laboratory
NY: Microbac Laboratories, Inc., New York Division

Definitions

AL: Action Level
H: Sample was preserved past holding time.
MCL: Maximum Contaminant Level
RL: Reporting Limit

Project Requested Certification(s)
 Microbac Laboratories, Inc. Dayville (NY 11549)
 NY Lab ID No: 11549
 New York State Department of Health

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included.

Limits may be provided for reference but as regulatory limits change frequently, Microbac Laboratories, Inc. advises the recipient of this report to confirm such limits and units of concentration with the appropriate Federal, state or local authorities before acting on the data.

Reviewed and Approved By:

Renee Lantz
 Project Manager
 renee.lantz@microbac.com
 12/31/2016 13:31

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder # 174

Client Information		Billing/Invoice:	
Name:	Sherburne Earlville Elementary		
Address:	15 School Street		
Contact:	Sherburne, NY 13460		
Phone:	Fred Wright		
Project:	607-674-7384		
Quote ID:	Lead Samples	PO#:	Q12399
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:	
Release to DOH:	Yes		
Email Results:	Yes	wrightf@secsd.org	
Fax Results:	Yes		

Sample Information				Matrix		Number of Containers for Analysis Requested		Comments/Field Data	
Description/Location	Date	Time	Initial	Type					
1 E 118 1	10/2	8:37	JR	DW	Lead 200:				
2 E 118 H	10/2	8:40	JR		250 mL				
3 E 123	10/2	8:40	FW		Plastic				
4 E 123 1	10/2	8:40	FW		HN03				
5 E 123 2	10/2	8:40	FW						
6 E 123 3	10/2	8:42	FW						
7 E 116	10/2	8:38	FW						
8 E 114 BR	10/2	8:35	JR	V					

Sampled:	Received:	Received:	Received:	Received:
Fred Wright	Fred Wright			
Andrew Canale	Andrew Canale			

Print Name and Company	Signature	Date/Time	Comments
Fred Wright	<i>Fred Wright</i>	10/11/16 14:40	
Andrew Canale	<i>Andrew Canale</i>	10/11/16 13:55	



J6J1276

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

MNY Workorder #

Client Information		Billing/Invoice:	
Name:	Sherburne Earlville Elementary		
Address:	15 School Street		
Contact:	Fred Wright		
Phone:	607-674-7384		
Project:	Lead Samples		
Quote ID:		PO#:	Q12399
Rush TAT Bus. Days:	< 2-5 5-7 7-10	Date Req.:	
Release to DOH:	Yes		
Email Results:	Yes	wrightf@secsd.org	
Fax Results:	Yes		

Sample Information		Matrix		Analysis Requested					Receiving Info (Lab Use Only)	
Description/Location	Date	Time	Initial	Type	Number of Containers for Analysis Requested	Container Material	Container Size(in Ml)	Preservative	Ice:	YES (NO)
1 E114 BR 1	10/2	8:30	JR	PW	1	Lead 2008			YES (NO)	YES (NO)
2 E114 BR 2	10/2	8:30	JR		1	Plastic			YES (NO)	YES (NO)
3 E114 BR 3	10/2	8:30	JR		1	HN03			YES (NO)	YES (NO)
4 E112	10/2	8:29	JR		1				YES (NO)	YES (NO)
5 E121	10/2	8:31	FW		1				YES (NO)	YES (NO)
6 E121 1	10/2	8:31	FW		1				YES (NO)	YES (NO)
7 E121 2	10/2	8:31	FW		1				YES (NO)	YES (NO)
8 EDF by 112	10/2	8:29	JR		1				YES (NO)	YES (NO)

Print Name and Company	Signature	Date/Time	Comments
Sampled: Fred Wright	<i>Fred Wright</i>	10/11 12:40	
Received: Andrew Carabe	<i>Andrew Carabe</i>	10/11/16 1355	
Received:			
Received:			
Received:			
Received:			

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name:	Sherburne Earlville Elementary					Ice:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Address:	15 School Street					Cooler:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Contact:	Sherburne, NY 13410					Sample Temp:	21.9c
Phone:	Fred Wright					Cooler Seal:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Project:	607-674-7384					Pickup:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Quote ID:	Lead Samples	PO#:	012399			Dropoff:	C <input type="checkbox"/> W <input checked="" type="checkbox"/>
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:				Accepted?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Release to DOH:	Yes					Container Material	
Email Results:	Yes	wrightf@secsd.org				Container Size (in Ml)	
Fax Results:	Yes					Preservative	

Sample Information			Number of Containers for Analysis Requested		Comments/Field Data
Description/Location	Date	Time	Initial	Type	
1 E110	10/2	8:23	FW	1	
2 E1101	10/2	8:23	FW	1	
3 E117A	10/2	8:04	FW	1	
4 E117A 1	10/2	8:04	FW	1	
5 E117A 2	10/2	8:05	FW	1	
6 E117A 3	10/2	8:05	FW	1	
7 E101	10/2	8:20	JR	1	
8 E101 1	10/2	8:20	JR	1	

Sampled:	Received:	Received:	Received:	Received:	Received:	Signature	Date/Time	Comments
Fred Wright	Andrew Charabe					Fred Wright	10/11 12:40	
						Andrew Charabe	10/11/16 13:53	

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document, you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:	
Name:	Sherburne Earlville Elementary		
Address:	15 School Street		
Contact:	Fred Wright		
Phone:	607-674-7384		
Project:	Lead Samples		
Quote ID:		PO#:	12399
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:	
Release to DOH:	Yes		
Email Results:	Yes	wrightf@secsd.org	
Fax Results:	Yes		

Sample Information				Analysis Requested				Receiving Info (Lab Use Only)	
Description/Location	Date	Time	Initial	Matrix	Type	Number of Containers for Analysis Requested	Comments/Field Data	Ice:	YES NO
E 101 Z	10/2	8:20	JR	Lead 2008	DW	1		YES	NO
E 105	10/2	8:20	FW	250 mL		1		YES	NO
E 105 I	10/2	8:20	FW	Plastic		1		Sample Temp: 21.7°C	
E 102	10/2	8:16	JR	FN03		1		Cooler Seal: YES NO	
E 102 I	10/2	8:16	JR			1		Pickup: YES NO	
E 107	10/2	8:18	FW			1		Dropoff: C W	
E 107 I	10/2	8:18	FW			1		Accepted? YES NO	
E 104	10/2	8:13	JR			1		Container Material	
								Container Size(In MI)	
								Preservative	

Print Name and Company	Signature	Date/Time	Comments
Sampled: Fred Wright	<i>Fred Wright</i>	10/11 12:40	
Received: Andrew Canale	<i>Andrew Canale</i>	10/11/16 13:55	
Received:			
Received:			
Received:			
Received:			

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:	
Name:	Sherburne Earlville Elementary		
Address:	15 School Street		
Contact:	Sherburne, NY 13400		
Phone:	Fred Wright		
Project:	607-674-7384		
Quote ID:	Lead Samples	PO#:	012399
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:	
Release to DOH:	Yes		
Email Results:	Yes	wrightf@secsd.org	
Fax Results:	Yes		

Sample Information				Analysis Requested				Receiving Info (Lab Use Only)	
Description/Location	Date	Time	Initial	Matrix	Type	Number of Containers for Analysis Requested	Comments/Field Data	Ice:	YES NO
E 1041	10/2	8:13	JR	DW	DW			YES	NO
E 109	10/2	8:15	FW					YES	NO
E 1091	10/2	8:15	FW					YES	NO
E 106	10/2	8:12	JR					C	W
E 1061	10/2	8:12	JR					YES	NO
E 108	10/2	8:10	JR					YES	NO
E 1081	10/2	8:10	JR					YES	NO
E 1082	10/2	8:10	JR					YES	NO

Sampled:	Received:	Received:	Received:	Received:	Received:
Fred Wright	Andrew Canale				

Print Name and Company	Signature	Date/Time	Comments
Fred Wright	<i>Fred Wright</i>	10/11 12:40	
Andrew Canale	<i>Andrew Canale</i>	10/11/16 13:55	

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document, you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive
 Cortland NY 13045
 Phone:(607)553-3403 Fax:(607)753-3415
 NY #10795, EPA #NY00935

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)		
Name:	Sherburne Earlville Elementary					Ice:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Address:	15 School Street					Cooler:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Contact:	Sherburne, NY 13400					Sample Temp:	21.1°C	
Phone:	Fred Wright					Cooler Seal:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Project:	607-674-7384					Pickup:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Quote ID:	Lead Samples	PO#:	012399			Dropoff:	C <input checked="" type="checkbox"/> W <input type="checkbox"/>	
Rush TAT Bus. Days:	< 2-5 5-7-10	Date Req.:				Accepted?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Release to DOH:	Yes					Container Material:		
Email Results:	Yes	wrightf@secsd.org				Container Size(in Mi)		
Fax Results:	Yes					Preservative		
Sample Information				Number of Containers for Analysis Requested				Comments/Field Data
Description/Location	Date	Time	Initial	Matrix Type				
1 E 113	10/2	8:11	FW	DW	1			
2 E 113 1	10/2	8:12	FW		1			
3 E 113 2	10/2	8:12	FW		1			
4 E 100	10/2	8:03	JR		1			
5 E 100 1	10/2	8:03	JR		1			
6 E 100 2	10/2	8:03	JR		1			
7 E 100 3	10/2	8:03	JR		1			
8 E 150	10/2	8:02	FW		1			
Print Name and Company				Signature		Date/Time		
Sampled: Fred Wright				Fred Wright		10/11 12:40		
Received: Andrew Canale				Andrew Canale		10/11/10 1:35		
Received:								
Received:								
Received:								
Received:								

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice

MINY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name:	Sherburne Earlville Elementary					Ice:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Address:	15 School Street					Cooler:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Contact:	Sherburne, NY 13460					Sample Temp:	21.1°C
Phone:	Fred Wright					Cooler Seal:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Project:	607-674-7384					Pickup:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Quote ID:	Lead Samples					Dropoff:	C <input checked="" type="checkbox"/> W <input type="checkbox"/>
Rush TAT Bus. Days:	< 2-5 5-7 7-10	PO#:	012399			Accepted?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Release to DOH:	Yes	Date Req.:				Container Material	
Email Results:	Yes					Container Size (in Mt)	
Fax Results:	Yes					Preservative	
	wrightf@secsd.org					Comments/Field Data	

Sample Information			Number of Containers for Analysis Requested		
Description/Location	Date	Time	Initial	Matrix Type	
1 EBRH 1	10/2	7:57	FW	DW	1
2 EBRH 2	10/2	7:55	FW		1
3 EDFH	10/4	7:00	FW		1
4 EBRH 3	10/2	7:55	JR		1
5 EBRH 4	10/2	7:55	JR		1
6 EBRH 5	10/2	7:55	FW		1
7 EBRH 6	10/2	7:55	FW		1
8 E136	10/2	7:48	JR		1

Print Name and Company	Signature	Date/Time	Comments
Sampled: Fred Wright	<i>Fred Wright</i>	10/11 12:40	
Received: Andrew Corbato	<i>Andrew Corbato</i>	10/11/16 13:55	
Received:			
Received:			
Received:			
Received:			

Microbac Laboratories (MINY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MINY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Samples must be returned on ice
 MNY Workorder #

Client Information		Billing/Invoice:	
Name:	Sherburne Earlville Elementary		
Address:	15 School Street		
Contact:	Sherburne, NY 13460		
Phone:	Fred Wright		
Project:	607-674-7384		
Quote ID:	Lead Samples	PO#:	012399
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date Req.:	
Release to DOH: Yes			
Email Results:	Yes	wrightf@secsd.org	
Fax Results:	Yes		

Sample Information			Matrix		Number of Containers for Analysis Requested	Comments/Field Data
Description/Location	Date	Time	Initial	Type		
1 E 136 1	10/2	7:48	JR	PL		
2 E 143 3	10/2	7:50	FW			
3 E 143 1	10/2	7:50	FW			
4 E 138 8	10/2	7:44	JR			
5 E 138 1	10/2	7:48	JR			
6 E 140	10/2	7:46	JR			
7 E 140 1	10/2	7:46	JR			
8 E 145	10/2	7:48	FW			

Receiving Info (Lab Use Only)	
Ice:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Cooler:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Sample Temp:	21.1°C
Cooler Seal:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Pickup:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Dropoff:	C <input checked="" type="checkbox"/> GP <input type="checkbox"/>
Accepted?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Container Material	
Container Size (in MI)	
Preservative	

Print Name and Company	Signature	Date/Time	Comments
Sampled: Fred Wright	<i>Fred Wright</i>	10/11 12:43	
Received: Andrew Cabale	<i>Andrew Cabale</i>	10/11/16 1355	
Received:			
Received:			
Received:			
Received:			

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

MNY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)		
Name:	Sherburne Earlville Elementary					Ice:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Address:	15 School Street					Cooler:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Contact:	Sherburne, NY 13460					Sample Temp:	21.1°C	
Phone:	Fred Wright					Cooler Seal:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Project:	Lead Samples					Pickup:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Quote ID:	PO#: 012399					Dropoff:	C <input type="checkbox"/> WD <input checked="" type="checkbox"/>	
Rush TAT Bus. Days: <2 2-5 5-7 7-10						Accepted?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Release to DOH: Yes						Container Material		
Email Results: Yes wrightf@secsd.org						Container Size (in MI)		
Fax Results: Yes						Preservative		
Sample Information				Number of Containers for Analysis Requested				Comments/Field Data
Description/Location	Date	Time	Initial	Matrix Type				
1 E 1451	10/2	7:48	FW	Lead 200g				
2 E 1422	10/2	7:45	JR	Plastic				
3 E 1421	10/2	7:45	JR	HN03				
4 E 147	10/2	7:44	FW					
5 E 1471	10/2	7:44	FW					
6 E 1466	10/2	7:43	JR					
7 E 1461	10/2	7:43	JR					
8 E 149	10/2	7:42	FW					
Print Name and Company				Signature		Date/Time		Comments
Sampled: Fred Wright				Fred Wright		10/11 12:43		
Received: Andrew Chale				Andrew Chale		10/11/16 1:35		
Received:								
Received:								
Received:								
Received:								

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Client Information		Billing/Invoice:		Analysis Requested				Receiving Info (Lab Use Only)	
Name:	Sherburne Earlville Elementary							Ice:	YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>
Address:	15 School Street							Cooler:	YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>
Contact:	Sherburne, NY 13400							Sample Temp:	21.1 °C
Phone:	Fred Wright							Cooler Seal:	YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>
Project:	607-674-7384							Pickup:	YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>
Quote ID:	Lead Samples	PO#:	012399					Dropoff:	C <input checked="" type="checkbox"/>
Rush TAT Bus. Days: < 2-5 5-7 7-10		Date Req.:						Accepted?	YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>
Release to DOH: Yes								Container Material	
Email Results: Yes		wrightf@secsd.org						Container Size(in MI)	
Fax Results: Yes								Preservative	
Sample Information				Number of Containers for Analysis Requested				Comments/Field Data	
Description/Location	Date	Time	Initial	Matrix Type					
1 E 1491	10/2	7:42	Fw1	DW	1				
2 E 127	10/2	7:39	JR		1				
3 E 1271	10/2	7:39	JR		1				
4 E 122	10/2	7:35	JR		1				
5 E 1221	10/2	7:35	JR		1				
6 E 131	10/2	7:38	Fw1		1				
7 E 1311	10/2	7:38	Fw1		1				
8 E 133	10/2	7:35	Fw1		1				
Print Name and Company				Signature		Date/Time		Comments	
Sampled: Fred Wright				Fred Wright		10/11 12:48			
Received: Andrew Carabe				Andrew Carabe		10/11/16 1355			
Received:									
Received:									
Received:									
Received:									

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:	
Name:	Sherburne Earlville Elementary		
Address:	15 School Street		
Contact:	Sherburne, NY 13460		
Phone:	Fred Wright		
Project:	607-674-7384		
Quote ID:	Lead Samples	PO#:	012399
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:	
Release to DOH:	Yes		
Email Results:	Yes	wrightf@secsd.org	
Fax Results:	Yes		

Sample Information				Matrix Type	Number of Containers for Analysis Requested	Comments/Field Data
Description/Location	Date	Time	Initial			
1 E 1331	10/2	7:35	FW	W		
2 E 124	10/2	7:34	JR			
3 E 1241	10/2	7:34	JR			
4 E 135	10/2	7:32	FW			
5 E 1351	10/2	7:32	FW			
6 E 126	10/2	7:30	JR			
7 E 1261	10/2	7:30	JR			
8 E 128	10/2	7:28	JR			

Print Name and Company	Signature	Date/Time	Comments
Sampled: Fred Wright	<i>Fred Wright</i>	10/11 12:40	
Received: Andrew Carabe	<i>Andrew Carabe</i>	10/11/16 13:55	
Received:			
Received:			
Received:			
Received:			

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information			Billing/Invoice:			Analysis Requested			Receiving Info (Lab Use Only)			
Name:	Sherburne Earlville Elementary					Ice:	YES	NO				
Address:	15 School Street					Cooler:	YES	NO				
Contact:	Sherburne, NY 13460					Sample Temp:	21.1°C					
Phone:	Fred Wright					Cooler Seal:	YES	NO				
Project:	Lead Samples					Pickup:	YES	NO				
Quote ID:			PO#:	012399		Dropoff:	C	W				
Rush TAT Bus. Days:	< 2-5 5-7 7-10		Date Req.:			Accepted?	YES	NO				
Release to DOH: Yes			Email Results: Yes	wrightf@secsd.org		Container Material						
Fax Results: Yes						Container Size(in Ml)						
						Preservative						
Sample Information			Number of Containers for Analysis Requested			Comments/Field Data						
Description/Location	Date	Time	Initial	Matrix Type								
1 E 1281	10/2	7:28	SR	PW	1							
2 E 137	10/2	7:30	FW		1							
3 E 1371	10/2	7:30	FW		1							
4 E 132	10/2	7:26	JR		1							
5 E 1321	10/2	7:26	JR		1							
6 E 139	10/2	7:28	FW		1							
7 E 1391	10/2	7:28	FW		1							
8 E 239	10/2	7:04	FW		1							
Sampled: Fred Wright			Signature: Fred Wright			Date/Time: 10/11/16 12:43			Comments:			
Received: Andrew Canale			Signature: Andrew Canale			Date/Time: 10/11/16 13:55						
Received:												
Received:												
Received:												
Received:												

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document, you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name:	Sherburne Earlville Elementary					Ice:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Address:	15 School Street					Cooler:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Contact:	Sherburne, NY 13460					Sample Temp:	21.1°C
Phone:	Fred Wright					Cooler Seal:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Project:	Lead Samples					Pickup:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Quote ID:		PO#:	012399			Dropoff:	C <input type="checkbox"/> W <input checked="" type="checkbox"/>
Rush TAT Bus. Days:	< 2-5 5-7 7-10	Date Req.:				Accepted?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Release to DOH:	Yes					Container Material	
Email Results:	Yes					Container Size(in Mi)	
Fax Results:	Yes					Preservative	
						Comments/Field Data	

Sample Information			Number of Containers for Analysis Requested		Comments/Field Data
Description/Location	Date	Time	Initial	Matrix Type	
E 239 1	10/2	7:04	FW	DW	
E 234	10/2	7:04	JR		
E 234 1	10/2	7:04	JR		
E 230	10/2	7:05	JR		
E 231	10/2	7:05	JR		
E 237	10/2	7:07	FW		
E 237 1	10/2	7:07	FW		
E 228	10/2	7:07	JR		

Sampled:	Received:	Received:	Received:	Received:	Received:	Date/Time	Signature	Comments
Fred Wright	Andrew Cobale					10/11 12:44	Fred Wright	
						10/11/61355		

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:	
Name:	Sherburne Earlville Elementary		
Address:	15 School Street		
Contact:	Sherburne, NY 13460		
Phone:	Fred Wright		
Project:	607-674-7384		
Quote ID:	Lead Samples	PO#:	012399
Rush TAT Bus. Days:	< 2-5 5-7 7-10	Date Req.:	
Release to DOH:	Yes		
Email Results:	Yes	wrightf@secsd.org	
Fax Results:	Yes		

Sample Information				Matrix		Analysis Requested		Receiving Info (Lab Use Only)	
Description/Location	Date	Time	Initial	Type	Number of Containers for Analysis Requested	Container Material	Accepted?	Ice:	YES NO
1 E 228 1	10/2	7:07	JR	DW	1	250 mL	YES NO	YES NO	YES NO
2 E 235 5	10/2	7:11	FW		1	Plastic	YES NO	YES NO	YES NO
3 E 235 1	10/2	7:11	FW		1	HN03	YES NO	YES NO	YES NO
4 E 226 6	10/2	7:11	JR		1		YES NO	YES NO	YES NO
5 E 226 1	10/2	7:11	JR		1		YES NO	YES NO	YES NO
6 E 223 3	10/2	7:12	FW		1		YES NO	YES NO	YES NO
7 E 223 1	10/2	7:13	FW		1		YES NO	YES NO	YES NO
8 E 224 4	10/2	7:14	JR		1		YES NO	YES NO	YES NO

Print Name and Company	Signature	Date/Time	Comments
Sampled: Fred Wright	<i>Fred Wright</i>	10/11/14 12:14	
Received: Andrew Chasabe	<i>Andrew Chasabe</i>	10/11/14 1:35	
Received:			
Received:			
Received:			
Received:			

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document, you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)		
Name:	Sherburne Earlville Elementary					Ice:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Address:	15 School Street					Cooler:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Contact:	Sherburne, NY 134100					Sample Temp:	2.1°C	
Phone:	Fred Wright					Cooler Seal:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Project:	Lead Samples					Pickup:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Quote ID:		PO#:	012399			Dropoff:	C <input type="checkbox"/> W <input checked="" type="checkbox"/>	
Rush TAT Bus. Days:	< 2-5 5-7 7-10	Date Req.:				Accepted?	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Release to DOH: Yes						Container Material		
Email Results: Yes	wrightf@secsd.org					Container Size (in Mil)		
Fax Results: Yes						Preservative		
Sample Information				Number of Containers for Analysis Requested				Comments/Field Data
Description/Location	Date	Time	Initial	Matrix Type				
1 E 224 1	10/2	7:14	JR	DW	1			
2 E 231	10/2	7:16	FW		1			
3 E 231 1	10/2	7:16	FW		1			
4 E 229	10/2	7:15	JR		1			
5 E 229 1	10/2	7:15	JR		1			
6 E 227	10/2	6:45	FW		1			
7 E 227 1	10/2	6:45	FW		1			
8 E BR 4 7	10/2	6:41	JR		1			
Sampled:				Signature:		Date/Time		Comments
Received: Fred Wright				Fred Wright		10/11 12:44		
Received: Andrew Cardle				Andrew Cardle		10/11/16 13:55		
Received:								
Received:								
Received:								

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive
 Corland NY 13045
 Phone:(607)753-3403 Fax:(607)753-3415
 NY #10796, EPA #NY00935

Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:	
Name:	Sherburne Earlville Elementary		
Address:	15 School Street		
Contact:	Sherburne, NY 13400		
Phone:	Fred Wright		
Project:	607-674-7384		
Quote ID:	Lead Samples	PO#:	012399
Rush TAT Bus. Days:	< 2-5 5-7 7-10	Date Req.:	
Release to DOH:	Yes		
Email Results:	Yes	wrightf@secsd.org	
Fax Results:	Yes		

Sample Information				Analysis Requested				Receiving Info (Lab Use Only)	
Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested	Container Material	Container Size (In MI)	Preservative	Comments/Field Data
1 EBRH 8	10/2	7:00	JR	PLW	1	Lead 200.8			Ice: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> Cooler: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> Sample Temp: 21.1°C Cooler Seal: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> Pickup: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> Dropoff: C <input checked="" type="checkbox"/> W <input type="checkbox"/> Accepted? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
2 EBRH 9	10/2	7:00	JR		1	Plastic			
3 EBRH 10	10/2	6:57	JR		1	HIN03			
4 EBRH 11	10/2	6:57	JR		1				
5 EDF by 238	10/2	7:01	JR		1				
6 E 238	10/2	6:54	JR		1				
7 E 240	10/2	6:51	JR		1				
8 E 2401	10/2	6:51	JR		1				

Print Name and Company	Signature	Date/Time	Comments
Sampled: Fred Wright	<i>Fred Wright</i>	10/11 12:44	
Received: Andrew Cabale	<i>Andrew Cabale</i>	10/11/10 1355	
Received:			
Received:			
Received:			
Received:			

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document, you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:	
Name:	Sherburne Earlville Elementary		
Address:	15 School Street		
Contact:	Sherburne, NY 13460		
Phone:	Fred Wright		
Project:	Lead Samples		
Quote ID:		PO#:	012399
Rush TAT Bus. Days:	< 2-5 5-7 7-10	Date Req.:	
Release to DOH:	Yes		
Email Results:	Yes	wrightf@secsd.org	
Fax Results:	Yes		

Sample Information			Analysis Requested			Receiving Info (Lab Use Only)			
Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested	Container Material	Container Size (in Mi)	Preservative	Comments/Field Data
E 241	10/2	6:59	FW	DN		Lead 200.8			
E 241 1	10/2	6:59	FW						
E 242	10/2	6:50	JR						
E 242 1	10/2	6:50	JR						
E 243	10/2	6:57	FW						
E 243 1	10/2	6:57	FW						
E 245	10/2	6:52	FW						
E 245 1	10/2	6:52	FW						

Sampled:	Print Name and Company	Signature	Date/Time	Comments
Received:	Fred Wright	<i>Fred Wright</i>	10/11 12:44	
Received:	Andrew Cordeiro	<i>Andrew Cordeiro</i>	10/11/16 13:55	
Received:				
Received:				
Received:				

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name:	Sherburne Earlville Elementary			Ice:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Container Material	
Address:	15 School Street			Cooler:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Container Size (in MI)	
Contact:	Sherburne, NY 134100			Sample Temp:	21.1°C	Preservative	
Phone:	Fred Wright			Cooler Seal:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Comments/Field Data	
Project:	Lead Samples			Pickup:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		
Quote ID:		PO#:	012399	Dropoff:	C <input checked="" type="checkbox"/> W <input type="checkbox"/>		
Rush TAT Bus. Days:	< 2-5 5-7 7-10	Date Req.:		Accepted?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		
Release to DOH:	Yes						
Email Results:	Yes	wrightf@secsd.org					
Fax Results:	Yes						

Sample Information			Matrix Type	Initial	Time	Date	Number of Containers for Analysis Requested	Date/Time	Comments
Description/Location	Date	Matrix Type							
1 E 2441	10/2	PW	JR	6:46	10/2	1			
2 E 2441	10/2	PW	JR	6:46	10/2	1			
3 E 248	10/2	PW	JR	6:45	10/2	1			
4 E 2481	10/2	PW	JR	6:45	10/2	1			
5 E 247	10/2	PW	JR	6:48	10/2	1			
6 E 2471	10/2	PW	JR	6:48	10/2	1			
7 E 200B	10/2	PW	FW	6:38	10/2	1			
8 E 200A	10/2	PW	FW	6:38	10/2	1			

Print Name and Company	Signature	Date/Time
Sampled: Fred Wright	<i>Fred Wright</i>	10/11/13 12:45
Received: Andrew Canale	<i>Andrew Canale</i>	10/11/13 13:55
Received:		
Received:		
Received:		
Received:		

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are certifying that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive
 Corland NY 13045
 Phone:(607)753-3403 Fax:(607)753-3415
 NY #10795, EPA #NY000935

Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:	
Name:	Sherburne Earlville Elementary		
Address:	15 School Street		
Contact:	Sherburne, NY 13460		
Phone:	Fred Wright		
Project:	607-674-7384		
Quote ID:	Lead Samples	PO#:	Q12399
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:	
Release to DOH:	Yes		
Email Results:	Yes	wrightf@secsd.org	
Fax Results:	Yes		

Sample Information				Analysis Requested				Receiving Info (Lab Use Only)	
Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested	Container Material	Container Size (in Ml)	Accepted?	Comments/Field Data
1 E 205	10/2	6:36	JR	Plw	1	Lead 200.8		YES NO	
2 E 207	10/2	6:34	JR		1			YES NO	
3 E 2071	10/2	6:34	JR		1			YES NO	
4 E BRH 9	10/2	6:37	JR		1			YES NO	
5 E 202	10/2	6:35	FW		1			YES NO	
6 E 2021	10/2	6:35	FW		1			YES NO	
7 E 211	10/2	6:26	JR		1			YES NO	
8 E 2111	10/2	6:26	JR		1			YES NO	

Print Name and Company	Signature	Date/Time	Comments
Sampled: Fred Wright	<i>Fred Wright</i>	10/11 12:45	
Received: Andrew Corbe	<i>Andrew Corbe</i>	10/11/16 1:35	
Received:			
Received:			
Received:			
Received:			

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are agreeing that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

MNY Workorder #

Client Information		Billing/Invoice:	
Name:	Sherburne Earlville Elementary		
Address:	15 School Street		
Contact:	Sherburne, NY 13460		
Phone:	Fred Wright		
Project:	607-674-7384		
Quote ID:	Lead Samples	PO#:	012399
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:	
Release to DOH:	Yes		
Email Results:	Yes	wrightf@secsd.org	
Fax Results:	Yes		

Sample Information				Matrix Type	Number of Containers for Analysis Requested	Comments/Field Data
Description/Location	Date	Time	Initial			
1 E 204	10/2	6:30	FW	FW	1	
2 E 204 1	10/2	6:30	FW	FW	1	
3 E 213	10/2	6:22	JR	JR	1	
4 E 213 1	10/2	6:22	JR	JR	1	
5 E 206	10/2	6:22	FW	FW	1	
6 E 206 1	10/2	6:22	FW	FW	1	
7 E 215	10/2	6:20	JR	JR	1	
8 E 215 1	10/2	6:20	JR	JR	1	

Receiving Info (Lab Use Only)	
Ice:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Cooler:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Sample Temp:	21.1°C
Cooler Seal:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Pickup:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Dropoff:	C <input type="checkbox"/> <input checked="" type="checkbox"/>
Accepted?	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Container Material	
Container Size (in Ml)	
Preservative	

Print Name and Company	Signature	Date/Time	Comments
Sampled: Fred Wright	<i>Fred Wright</i>	10/11 12:45	
Received: Andrew Canale	<i>Andrew Canale</i>	10/11/16 1355	
Received:			
Received:			
Received:			
Received:			

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

MNY Workorder #

Client Information				Billing/Invoice:			
Name: Sherburne Earlville Elementary		Address: 15 School Street		Date Req: 10/2		PO#: 012399	
Contact: Fred Wright		Phone: 607-674-7384		Rush TAT Bus. Days: <2 2-5 5-7 7-10		Release to DOH: Yes	
Project: Lead Samples		Quote ID:		Email Results: Yes		Fax Results: Yes	
PO#: 012399		Date Req: 10/2		wright@secsd.org			
Sample Information				Receiving Info (Lab Use Only)			
Description/Location	Date	Time	Initial	Matrix Type	Ice:	YES	NO
1 E 210	10/2	6:20	FW	DW	YES	NO	
2 E 210 1	10/2	6:20	FW		YES	NO	
3 E 212	10/2	6:21	FW		YES	NO	
4 E 212 1	10/2	6:21	FW		YES	NO	
5 E 217	10/2	6:15	JR		YES	NO	
6 E 217 1	10/2	6:15	JR		YES	NO	
7 E 214	10/2	6:15	FW		YES	NO	
8 E 214 1	10/2	6:15	FW		YES	NO	
Print Name and Company				Signature			
Sampled: Fred Wright				Fred Wright			
Received: Andrew Carole				Andrew Carole			
Received:				Received:			
Received:				Received:			
Received:				Received:			
Received:				Received:			
Received:				Received:			
Date/Time				Comments			
10/11 10:45							
10/11/16 13:55							
Lead 200.8							
250 mL							
Plastic							
HN03							
Number of Containers for Analysis Requested				Comments/Field Data			

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

MNY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)		
Name:	Sherburne Earlville Elementary					Ice:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Address:	15 School Street					Cooler:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Contact:	Sherburne, NY 13400					Sample Temp:	21.1 °C	
Phone:	Fred Wright					Cooler Seal:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Project:	607-674-7384					Pickup:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Quote ID:	Lead Samples	PO#:	012399			Dropoff:	C <input checked="" type="checkbox"/> MP <input type="checkbox"/>	
Rush TAT Bus. Days:	< 2-5 5-7 7-10	Date Req.:				Accepted?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Release to DOH:	Yes					Container Material:		
Email Results:	Yes	wrightf@secsd.org				Container Size (in Mi):		
Fax Results:	Yes					Preservative:		
Sample Information				Number of Containers for Analysis Requested				Comments/Field Data
Description/Location	Date	Time	Initial	Matrix Type				
1 E 219	10/2	6:15	JR	PW	1			
2 E 219 1	10/2	6:15	JR		1			
3 E 223	10/2	6:10	JR		1			
4 E 223 1	10/2	6:10	JR		1			
5 E 216	10/2	6:10	FW		1			
6 E 216 1	10/2	6:10	FW		1			
7								
8								
Sampled:	Fred Wright	Signature				Date/Time	10/11 12:46	
Received:	Andrew Carver						10/14/16 13:55	
Received:								
Received:								
Received:								
Received:								

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Samples must be returned on ice
 MNY Workorder #



J6J1276

Client Information			Billing/Invoice:				
Name: <i>Sherburne Sarville</i>							
Address:							
Contact:							
Phone:							
Project:							
Quote ID:	PO#:						
Rush TAT Bus. Days: <2 2-5 5-7 7-10	Date Req.:						
Release to DOH: Yes							
Email Results: Yes							
Fax Results: Yes							
Sample Information							
Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested	Analysis Requested	Receiving Info (Lab Use Only)
1 E118	10/2/16	8:37	JR	G DW	1		Ice: YES NO Cooler: YES NO Sample Temp: YES NO Cooler Seal: YES NO Pickup: YES NO Dropoff: C W Accepted? YES NO
2 E101-3	10/2/16	8:20	JR	G DW	1		Container Material Container Size(in Mil) Preservative
3 E233	10/2/16	7:13	FW	G DW	1		Comments/Field
4 E233-1	10/2/16	7:13	FW	G DW	1		
5 E230 1	10/2/16	7:05	JR	G DW	1		
6 E141	10/2/16	7:52	FW	G DW	1		
7 E141 1	10/2/16	7:52	FW	G DW	1		
8							

Print Name and Company	Signature	Date/Time	Comments
			*Samples not on original coc's. Jms 11/2/16
Sampled:			
Received:			
Received:			
Received:			
Received:			
Received:			

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory.
 By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.